SEAANGEL SEANEXX

AIS
Location & Tracking
# Devices

IMO
SOLAS
0062/15

DISTRESS
PULL RIPCORD

Under Federal Law! Remove only in case of emergency

Press TEST

Switch off:
Press "TEST" for 3 s

AIS PLB

Developed by FT-TEC

Developed for your safety by FT-TEC Electronics

Made in Austria
www.seaangel.at

for FT-TEC USA Corp.
www.seaangelusa.com

SEANEXX

Position: 38°52´N / 20°42´E
Depth 12.0 Speed 7.8 Wind 15.3

Windspeed → **NMEA IN 1**

NMEA Sensor → **NMEA IN 2**

Depth → **NMEA IN 3**

Speed → **NMEA IN 4**

Position: 38°52´N / 20°42´E
Depth 12.0 Speed 7.8 Wind 15.3

Position: 38°52´N / 20°42´E
Depth 12.0 Speed 7.8 Wind 15.3

Position: 38°52´N / 20°42´E
Depth 12.0 Speed 7.8 Wind 15.3

Position: 38°52´N / 20°42´E
Depth 12.0 Speed 7.8 Wind 15.3

WiFi UP TO 10 CLIENTS   **USB**   **NMEA 0183**

SEAANGEL

The SEANEXX-series
are developed by FT-TEC Electronics GmbH and
include receiver- and transponder systems.

SEAANGEL

PLB S.O.S.

Rescue

AIS S.O.S.

The SEAANGEL
transmitter is a battery powered, water restistant and floatable Search-And-Rescue-System.

SA16+ NG AIS PLB

All-in-one safety

- Exact localization through complete protection
- Quick help via AIS frequencies
- Additional safety through alert transmission via 406MHz (PLB) COSPAS SARSAT

- easy operation
- sturdy design
- transmission time: 24 h PLB / 24 h AIS
- flashing LED light
- automatic and manual activation
- 6 years battery service life
- Homecoming-signal (121.5 MHz)
- universal mounting with additional clips and GoPro adapter

DISTRESS PULL RIPCORD

Under Federal Law! Remove only in case of emergency

Press **TEST**

Switch off: Press "TEST" for 3 s

AISPLB SA16+
Developed by FT-TEC

AIS DIVE

Your companion down to 150 m depth

AIS DIVE, measuring just 62 mm, for your safety

Locating device in case of emergencies for divers in smallest possible size for your safety

- 72 h of transmission time
- transmission range channels AIS 1 and AIS 2 (161.975 MHz / 162.025 MHz)
- 10 NM transmission range
- flashing LED light (entire front housing)
- manual activation
- 7 years battery service life

AIS SURF

Rescue transmitter in smallest possible size for your safety

Through exact localization, your personal miniature-size distress beacon guarantees fast and efficient rescue from distress at sea and your own protection.

DISTRESS PULL RIPCORD

Hold magnet above the symbol
1 sec. for TEST MODE | 3 sec. to DEACTIVATE

AIS DIVE
Developed by FT-TEC

DISTRESS PULL RIPCORD

Hold magnet above the symbol
1 sec. for TEST MODE | 3 sec. to DEACTIVATE

AIS SURF
Developed by FT-TEC

TRACKING

The smallest is the BEST
FLARE TRACKING, measuring just 62 mm, for your safety

Through exact localization, your personal miniature-size distress beacon guarantees fast and efficient rescue from distress at sea and your own and your crew's protection!

- Rechargeable batteries
- Transmission range depends on adjusted and programmable (via FT-TEC app) data of TX power
- 1000 cycle of charging (acc. data sheet)
- Used tracking frequency is programmable with FT-TEC app
- 10 NM transmission range
- flashing LED light (entire front housing)
- automatic & manual activation
- universal mounting with additional clips and GoPro adapter

DIVE TRACKING

- Rechargeable batteries
- Transmission range depends on adjusted and programmable (via FT-TEC app) data of TX power
- 1000 cycle of charging (acc. data sheet)
- Used tracking frequency is programmable with FT-TEC app.
- universal mounting with additional clips and GoPro adapter

AIS FLARE

The smallest is the BEST
AIS FLARE, measuring just 62 mm, for your safety

Through exact localization, your personal miniature-size distress beacon guarantees fast and efficient rescue from distress at sea and your own and your crew's protection!

- 96h first 5 years, 72 h between 5 to 7 years of transmission time
- 10 NM transmission range
- flashing LED light (entire front housing)
- automatic & manual activation
- 7 years battery service life
- universal mounting with additional clips and GoPro adapter

MOBILE AIS
Battery powered with wireless connectivity

Key Features
- AIS receiver
- Up to 20 hours of operation
- WiFi – up to 10 clients
- For use with WiFi enabled plotters, mobile or portable devices

Customer Benefits
- Designed for device independent operation
- Flashlight and compass included
- Multi-User ready
- Made in Austria

AIS USB STICK

AIS on your laptop – simple & affordable

Key Features
- Compact AIS receiver
- USB Stick for laptop/PC
- Includes standard antenna connectors

Customer Benefits
- Compact design
- Plug & Play with antenna package
- No installation required
- No extra power supply needed
- Made in Austria

SEANEXX – RX300

AIS receiver and multiplexer series

Wireless and simultaneous transmission to every on-board monitor

Key Features
- GPS + AIS + NMEA-Multiplexer (functionality customizable by software licenses)
- Multiple wireless connections
- USB + Wi-Fi + NMEA 0183 output
- 4x NMEA 0183 inputs
- Data logger (SD card)
- For use with chart plotters, mobile or portable devices

Customer Benefits
- Smart wireless navigation solution
- Multi-User ready
- Data server with integrated multiplexer
- AIS + GPS receiver
- Made in Austria

More products for your safety:

Europe
www.seaangel.at

Developed by **FT-TEC** Electronics

USA
www.seaangelusa.com

Developed in Austria for FT-TEC USA Corp. 🇺🇸

SEAANGEL   SEANEXX

FT-TEC Electronics GmbH
Werner von Siemens-Straße 5
A-7343 Neutal/Burgenland
Phone: +43 2618 20455-0

FT-TEC USA Corp.
Based out of Florida
usasales@ft-tec.com
Phone: +1 (786) 757 1090